



Product Service

Attestation of Conformity

No. E8A 15 06 91130 003

Holder of Certificate: **ShenYang Bluelight Automatic Technology Co., Ltd.**


No. 37 Shiji Road, Hunnan New District
110179 Shenyang, Liaoning
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **Electronic frequency converter
BL6-U Series elevator integrated controller**

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with all essential requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 888001413002

Date, 2015-07-02


(Jing Zhang)



CE After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. That declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

Page 1 of 2



Product Service

Attestation of Conformity
No. E8A 15 06 91130 003**Model(s):** UO4005, UO4007, UO4011, UO4015
UO4018, UO4022, UO4030**Description of Object:**

Rated input voltage:	3~ + PE, 380/400VAC
Rated input frequency:	50/60Hz
Rated input current:	17A (UO4005), 22A (UO4007) 32A (UO4011), 41A (UO4015) 49A (UO4018), 58A (UO4022) 78A (UO4030)
Rated input power:	11kVA (UO4005), 14kVA (UO4007) 21kVA (UO4011), 27kVA (UO4015) 32kVA (UO4018), 38kVA (UO4022) 51kVA (UO4030)
Rated output voltage:	3~, 0-380VAC (3~ + PE, 380VAC input voltage) 3~, 0-400VAC (3~ + PE, 400VAC input voltage)
Rated output frequency:	0-60Hz
Rated output current:	14A (UO4005), 18A (UO4007) 27A (UO4011), 34A (UO4015) 41A (UO4018), 48A (UO4022) 65A (UO4030)
Rated output power:	9kVA (UO4005), 12kVA (UO4007) 18kVA (UO4011), 22kVA (UO4015) 27kVA (UO4018), 32kVA (UO4022) 43kVA (UO4030)
Protection class:	I
PDS category:	Category C2

Tested according to: EN 61800-3:2004/A1:2012
EN 12015:2014
EN 12016:2013

Page 2 of 2